



NÝTY PRO SPECIÁLNÍ APLIKACE

BULBEX Série BF01



Nýtování plastů, pryže, překližky, sololitu, lepenky, plechů a kombinací těchto materiálů.




Všechny rozměry v mm.

d1 Ø	Ø : 4.2 - 4.5	M		Objednací číslo
		↑ ↓	[+1/-0.2]	
4.0	d2 Ø : 8.2	1.0- 3.0	16.0	BF010516
	k : 1.6	1.0- 7.0	21.2	0523
	⊕ : 1000 N	1.0- 8.5	22.9	0525
	⊖ : 600 N	5.0-12.0	27.6	0531

Všechny rozměry v mm.

d1 Ø	Ø : 5.0 - 5.2	M		Objednací číslo
		↑ ↓	[+1/-0.2]	
4.8	d2 Ø : 10.1	1.0- 4.0	18.3	BF010619
	k : 2.1	1.0- 9.0	23.3	0625
	⊕ : 1100 N	4.0-12.0	27.1	0630
	⊖ : 800 N			





Plastové krytky na zvl. poptávku.

HSN Série 1803




Nýtování bez A2 [1.4301] potřeby nýtovačky.





Všechny rozměry v mm.

d1 Ø	Ø : 4.9	L		Objednací číslo
		↑ ↓	[+1/-0.2]	
4.8	d2 Ø : 16 [+/-0.4]	11.5-13.0	16.0	18034816
	k : 2.6 [+/-0.3]	15.5-17.0	20.0	4820
	⊕ : 2950 N	20.5-22.0	25.0	4825
	⊖ : 4900 N	25.5-27.0	30.0	4830
		30.5-32.0	35.0	4835
		35.5-37.0	40.0	4840
		40.5-42.0	45.0	4845
	45.5-47.0	50.0	4850	

T-LOK Série BM01



ROZPĚRNÝ NÝT



Všechny rozměry v mm.

		L min. [+1/-0.2]	Objednáací číslo
d1 Ø	Ø : 4.3 - 4.4	11.2-12.2	BM010510
d2 Ø	: 8.2	13.0-13.7	0512
k	: 1.3	12.7-20.1	0520
	⊕ : 500-700 N	12.7-21.6	0522
	(hodnoty závisí na délce nýtu)		
	⊖ : -		



Všechny rozměry v mm.

		L min. [+1/-0.2]	Objednáací číslo
d1 Ø	Ø : 4.8 - 4.9	10.4-15.7	BM010614
d2 Ø	: 10.2	13.0-20.3	0620
k	: 2.1		
	⊕ : 1000 N		
	⊖ : -		

T-LOK Série 1301



ROZPĚRNÝ NÝT



Všechny rozměry v mm.

			L [+1/-0.2]	Objednáací číslo
d1 Ø	Ø : 3.7 max.	0.5- 1.0	8.0	13013208
d2 Ø	: 6.5 [+/-0.3]	1.0- 3.0	10.0	3210
k	: 1.0 [+/-0.2]	3.0- 5.0	12.0	3212
P	: ≥27	7.0- 9.0	16.0	3216
d3	: ~1.8	9.0-11.0	18.0	3218
	⊕ : 750 N			
	⊖ : 820 N			

Všechny rozměry v mm.

			L [+1/-0.2]	Objednáací číslo
d1 AE	Ø : 4.5 max.	1.5- 5.0	10.0	13014010
d2 Ø	: 8.0 [+/-0.4]	4.0- 6.5	12.0	4012
k	: 1.2 [+/-0.2]	6.0- 9.0	14.0	4014
P	: ≥27	8.0-11.0	16.0	4016
d3	: ~2.1	10.0-13.0	18.0	4018
	⊕ : 1140 N	12.0-15.0	20.0	4020
	⊖ : 1280 N	15.0-20.0	25.0	4025
		20.0-25.0	30.0	4030

Všechny rozměry v mm.



			L	Objednáací číslo
d1 Ø	Ø : 5.3 max.	1.5- 4.0	10.0	13014810
d2 Ø	: 9.0 [+/-0.4]	2.0- 6.0	12.0	4812
k	: 1.4 [+/-0.2]	4.0- 8.0	14.0	4814
P	: ≥27	6.0-10.0	16.0	4816
d3	: ~2.7	8.0-12.0	18.0	4818
	⊕ : 2450 N	10.0-14.0	20.0	4820
	⊖ : 2100 N	12.0-16.0	22.0	4822
		16.0-19.0	25.0	4825
		19.0-24.0	30.0	4830
		24.0-29.0	35.0	4835
		29.0-34.0	40.0	4840

NÝTY PRO SPECIÁLNÍ APLIKACE

RÝHOVANÝ NÝT Série 1601



ČSN 02 2391, DIN 7337



Všechny rozměry v mm.

d1 Ø	Ø : 3.4
3.2	d2 Ø : 6.0 [+/-0.24]
	k : ≤1.4
	P : ≥26
+0.35	d3 : 1.8
-0	: 930 N
	: 525 N

	L	Objednáací číslo
max. 6.0	10.0	16013210
max. 10.0	14.0	3214

Všechny rozměry v mm.

d1 Ø	Ø : 5.1
4.8	d2 Ø : 9.5 [+/-0.3]
	k : ≤2.0
	P : ≥27
+0.35	d3 : 2.65
-0	: 1575 N
	: 1185 N

	L	Objednáací číslo
max. 2.0	8.0	16014808
max. 6.0	10.0	4810
max. 7.0	11.0	4811
max. 8.0	12.0	4812
max. 10.0	14.0	4814
max. 12.0	16.0	4816
max. 14.0	18.0	4818
max. 16.0	20.0	4820
max. 21.0	25.0	4825
max. 26.0	30.0	4830

Všechny rozměry v mm.



d1 Ø	Ø : 4.3
4.0	d2 Ø : 8.0 [+/-0.3]
	k : ≤1.7
	P : ≥27
+0.35	d3 : 2.2
-0	: 1410 N
	: 885 N

	L	Objednáací číslo
max. 4.0	8.0	16014008
max. 6.0	10.0	4010
max. 8.0	12.0	4012
max. 10.0	16.0	4016

TLR Série 3904-A



Vodotěsný nýt pro střešní konstrukce, opláštění budov a transportní techniky.



Všechny rozměry v mm.

d1 Ø	Ø : 5.3 - 5.6
5.2	d2 Ø : 11.5
	k : 2.5
	: 2000 N
	: 3000 N

	L	Objednáací číslo
0.5 - 4.8	17.5	39045217
1.5 - 6.4	19.1	5219
4.7 - 9.6	22.2	5222
7.9 - 12.7	25.4	5225
11.1 - 15.9	28.6	5228

Všechny rozměry v mm.

d1 Ø	Ø : 6.4 - 6.7
6.3	d2 Ø : 14.4
	k : 3.0
	: 3000 N
	: 4900 N

	L	Objednáací číslo
1.5 - 6.4	20.0	39046320
6.4 - 12.7	27.0	6327

NÝTY PRO SPECIÁLNÍ APLIKACE