



# VODOTĚSNÉ NÝTY (do 3500 kPa)



## SR Série 1201



Všechny rozměry v mm.


<b>d1 Ø</b>	<b>Ø</b> : 3.3
<b>d2 Ø</b>	: 6.0 [+/-0.24]
<b>k</b>	: ≤ 1.4
<b>P</b>	: ≥ 27
<b>d3</b>	: ≈ 1.7
	⊕ : 1250 N
	⊖ : 1070 N

L	↓	↑	Objednáací číslo
[+1/-0.2]			
6.5	0.5- 2.0		12013206
8.0	2.0- 3.5		3208
9.5	3.5- 5.0		3209
10.7	5.0- 6.5		3210
12.7	6.5- 8.0		3212

Všechny rozměry v mm.

<b>d1 Ø</b>	<b>Ø</b> : 4.1
<b>d2 Ø</b>	: 8.0 [+/-0.29]
<b>k</b>	: ≤ 1.7
<b>P</b>	: ≥ 27
<b>d3</b>	: ≈ 2.18
	⊕ : 2240 N
	⊖ : 1700 N

## VELKÁ HLAVA



<b>d1 Ø</b>	<b>Ø</b> : 4.1
<b>d2 Ø</b>	: 8.0 [+/-0.29]
<b>k</b>	: ≤ 1.7
<b>P</b>	: ≥ 27
<b>d3</b>	: ≈ 2.18
	⊕ : 2240 N
	⊖ : 1700 N

Všechny rozměry v mm.

<b>d1 Ø</b>	<b>Ø</b> : 4.9
<b>d2 Ø</b>	: 9.5 [+/-0.29]
<b>k</b>	: ≤ 2.0
<b>P</b>	: ≥ 27
<b>d3</b>	: ≈ 2.63
	⊕ : 3100 N
	⊖ : 2200 N

Všechny rozměry v mm.

<b>d1 Ø</b>	<b>Ø</b> : 6.5
<b>d2 Ø</b>	: 12.7 [+/-0.35]
<b>k</b>	: ≤ 2.5
<b>P</b>	: ≥ 31
<b>d3</b>	: ≈ 3.7
	⊕ : 4900 N
	⊖ : 3950 N

L	↓	↑	Objednáací číslo
[+1/-0.2]			
8.0	1.0- 3.0		12014808
9.5	3.0- 4.5		4809
11.0	4.5- 6.0		4811
12.5	6.0- 7.5		4812
14.0	7.5- 9.0		4814
16.0	9.0-11.0		4816
18.0	11.0-13.0		4818
21.0	13.0-16.0		4821
25.0	16.0-20.0		4825

L	↓	↑	Objednáací číslo
[+1/-0.2]			
12.5	1.5- 6.0		12016412
16.0	6.0- 8.0		6416

## SR Série 1202



Všechny rozměry v mm.


<b>d1 Ø</b>	<b>Ø</b> : 4.9
<b>d2 Ø</b>	: 14.0 [+/-0.5]
<b>k</b>	: ≤ 2.5
<b>P</b>	: ≥ 27
<b>d3</b>	: 2.65
	⊕ : 3070 N
	⊖ : 2230 N

L	↓	↑	Objednáací číslo
[+1/-0.2]			
13.0	6.5- 8.0		12024813
18.0	10.0-12.5		4818

# SR Série 1204



## ZAPUŠTĚNÁ HLAVA



Všechny rozměry v mm.

d1 Ø	Ø  : 4.1
d2 Ø	: 7.5 [+/-0.5]
k	: -
P	: ≥27
d3	: ~2.2
	: 2240 N
	: 1710 N

L		Objednací číslo
[+1/-0.2]		
9.5	3.0- 5.0	12044009
11.0	4.5- 6.5	4011
12.5	6.0- 8.0	4012
14.0	8.0- 9.5	4014

Všechny rozměry v mm.

d1 Ø	Ø  : 3.3
d2 Ø	: 6.0 [+/-0.4]
k	: -
P	: ≥27
d3	: ~1.7
	: 1245 N
	: 1070 N


L		Objednací číslo
[+1/-0.2]		
7.5	1.5- 3.5	12043207
9.0	3.0- 5.0	3209
10.5	4.5- 6.5	3210
12.0	6.0- 7.5	3212
13.5	7.5- 9.0	3213

Všechny rozměry v mm.

d1 Ø	Ø  : 4.9
d2 Ø	: 9.0 [+/-0.5]
k	: -
P	: ≥27
d3	: ~2.65
	: 3070 N
	: 2230 N

L		Objednací číslo
[+1/-0.2]		
9.5	2.5- 4.5	12044809
11.0	4.0- 6.0	4811
12.5	5.5- 7.5	4812
14.0	7.0- 9.0	4814
15.5	8.5-10.5	4815
19.0	12.0-14.0	4819

# SR Série 1211



Všechny rozměry v mm.

d1 Ø	Ø  : 4.1
d2 Ø	: 8.0 [+/-0.29]
k	: ≤1.7
P	: ≥27
d3	: 2.2
	: 820 N
	: 580 N

L		Objednací číslo
[+1/-0.2]		
9.5	0.5- 5.0	12114009
12.5	5.0- 8.0	4012

Všechny rozměry v mm.

d1 Ø	Ø  : 3.3
d2 Ø	: 6.0 [+/-0.24]
k	: ≤1.4
P	: ≥26
d3	: 1.8
	: 490 N
	: 450 N

L		Objednací číslo
[+1/-0.2]		
8.0	0.5- 3.5	12113208
9.5	3.5- 5.5	3209

Všechny rozměry v mm.

d1 Ø	Ø  : 4.9
d2 Ø	: 9.5 [+/-0.29]
k	: ≤2.0
P	: ≥27
d3	: 2.65
	: 1120 N
	: 900 N

L		Objednací číslo
[+1/-0.2]		
9.5	1.0- 4.5	12114809
11.5	4.5- 6.5	4811
14.5	6.5- 9.5	4814
18.0	9.5-13.0	4818


VODOTĚSNĚ NÍTY

## SR Série 1231

**HLINÍK**  
AlMg 5

**NEREZ**

A2 [1.4301]



Všechny rozměry v mm.

d1 Ø	Ø  : 4.1
d2 Ø	: 8.0 [+/-0.29]
k	: ≤1.7
P	: ≥27
d3	: ~2.18
	: 2240 N
	: 1700 N

L		Objednací číslo
[+1/-0.2]	↑	
8.0	0.5- 3.5	12314008
9.5	3.5- 4.5	4009
11.0	4.5- 6.5	4011
12.7	6.5- 8.0	4012

Všechny rozměry v mm.

d1 Ø	Ø  : 3.3
d2 Ø	: 6.0 [+/-0.24]
k	: ≤1.4
P	: ≥27
d3	: ~1.7
	: 1250 N
	: 1070 N

L		Objednací číslo
[+1/-0.2]	↑	
6.5	0.5- 2.0	12313206
8.0	2.0- 3.5	3208
9.5	3.5- 5.0	3209
11.0	5.0- 6.5	3210
12.7	6.5- 8.0	3212

Všechny rozměry v mm.

d1 Ø	Ø  : 4.9
d2 Ø	: 9.5 [+/-0.29]
k	: ≤2.0
P	: ≥27
d3	: ~2.65
	: 3100 N
	: 2200 N

L		Objednací číslo
[+1/-0.2]	↑	
8.0	1.0- 3.0	12314808
9.5	3.0- 4.5	4809
11.0	4.5- 6.0	4811
12.5	6.0- 7.5	4812
14.0	7.5- 9.0	4814
16.0	9.0-11.0	4816
18.0	11.0-13.0	4818
21.0	13.0-16.0	4821

## SR Série 1234

**HLINÍK**  
AlMg 5

**NEREZ**

A2 [1.4301]


ZAPUŠTĚNÁ HLAVA

Na zvláštní poptávku  
(Rozměry viz. tab. R1231)

## SR Série 1241

**OCEĽ**  
POZINKOVÁNO

**OCEĽ**  
POZINKOVÁNO



Všechny rozměry v mm.

d1 Ø	Ø  : 4.1
d2 Ø	: 8.0 [+/-0.29]
k	: 1.4 [+/-0.3]
P	: ≥27
d3	: ~2.3
	: 2500 N
	: 2300 N

L		Objednací číslo
[+1/-0.2]	↑	
6.0	0.5- 1.5	12414006
8.0	1.5- 3.0	4008
10.0	3.0- 5.0	4010
12.0	5.0- 6.5	4012
15.0	6.5-10.5	4015

Všechny rozměry v mm.

d1 Ø	Ø  : 3.3
d2 Ø	: 6.0 [+/-0.24]
k	: 1.0 [+/-0.3]
P	: ≥27
d3	: ~1.9
	: 2000 N
	: 1600 N

L		Objednací číslo
[+1/-0.2]	↑	
6.0	0.5- 1.5	12413206
8.0	1.5- 3.0	3208
9.5	3.0- 5.0	3209
12.0	5.0- 7.0	3212

Všechny rozměry v mm.

d1 Ø	Ø  : 4.9
d2 Ø	: 9.5 [+/-0.29]
k	: 1.7 [+/-0.3]
P	: ≥27
d3	: ~2.9
	: 3800 N
	: 2900 N


L		Objednací číslo
[+1/-0.2]	↑	
8.0	1.0- 3.0	12414808
9.5	3.0- 5.0	4809
12.0	5.0- 6.5	4812
16.0	6.5-10.5	4816

VODOTĚSNÉ NÝTY

# SR Série 1251

MĚĎ

OCEL  
POZINKOVÁNO



Všechny rozměry v mm.

d1 Ø	Ø  : 4.1
d2 Ø	: 8.0 [+/-0.29]
k	: ≤1.7
P	: ≥27
d3	: ~2.2
	: 2000 N
	: 1350 N

L		Objednáací číslo
[+1/-0.2]		
8.0	0.5- 2.0	12514008
10.0	2.0- 4.0	4010

Všechny rozměry v mm.

d1 Ø	Ø  : 4.9
d2 Ø	: 9.5 [+/-0.29]
k	: ≤2.0
P	: ≥27
d3	: ~2.65
	: 2800 N
	: 1950 N

L		Objednáací číslo
9.5	1.0- 2.5	12514809
11.5	2.5- 4.5	4811

Všechny rozměry v mm.

d1 Ø	Ø  : 3.3
d2 Ø	: 6.0 [+/-0.24]
k	: ≤1.4
P	: ≥27
d3	: ~1.7
	: 1300 N
	: 850 N

L		Objednáací číslo
[+1/-0.2]		
6.5	0.5- 1.5	12513206
8.0	1.5- 3.0	3208
9.5	2.5- 4.5	3009
12.5	4.5- 7.5	3212


VODOTĚSNÉ NÝTY

## SR Série 1261



A2 [1.4301]

C1 [1.4021]



Všechny rozměry v mm.

d1 Ø	Ø  : 4.1
d2 Ø	: 8.0 [+/-0.29]
k	: ≤1.7 [+/-0.3]
P	: ≥27
d3	: ~2.3
	: 4000 N
	: 3000 N

L		Objednací číslo
[+1/-0.2]	↑	
6.0	0.5- 1.5	12614006
8.0	1.5- 3.0	4008
9.5	3.0- 5.0	4009
12.0	5.0- 6.5	4012
16.0	6.5-10.5	4016

Všechny rozměry v mm.

d1 Ø	Ø  : 3.3
d2 Ø	: 6.0 [+/-0.24]
k	: ≤1.4 [+/-0.3]
P	: ≥26
d3	: ~1.9
	: 2500 N
	: 2000 N

L		Objednací číslo
[+1/-0.2]	↑	
6.0	0.5- 1.5	12613206
8.0	1.5- 3.0	3208
9.5	3.0- 5.0	3209
12.0	5.0- 7.0	3212

Všechny rozměry v mm.

d1 Ø	Ø  : 4.9
d2 Ø	: 9.5 [+/-0.29]
k	: ≤2.0 [+/-0.3]
P	: ≥27
d3	: ~2.9
	: 5500 N
	: 4500 N

L		Objednací číslo
[+1/-0.2]	↑	
8.0	1.0- 3.0	12614808
9.5	3.0- 5.0	4809
12.0	5.0- 6.5	4812
16.0	6.5-10.5	4816
20.0	10.5-14.0	4820


## SR Série 1262



A2 [1.4301]

C1 [1.4021]

VELKÁ HLAVA



Všechny rozměry v mm.

d1 Ø	Ø  : 4.1
d2 Ø	: 12.0 [+/-0.35]
k	: 1.1 [+/-0.3]
P	: ≥27
d3	: 2.3
	: 4000 N
	: 3000 N

L		Objednací číslo
[+1/-0.2]	↑	
6.0	0.5- 1.5	12624006
8.0	1.5- 3.0	4008
10.0	3.0- 5.0	4009
12.0	5.0- 6.5	4012
16.0	6.5-10.5	4016

Všechny rozměry v mm.

d1 Ø	Ø  : 3.3
d2 Ø	: 10.0 [+/-0.29]
k	: 0.9 [+/-0.3]
P	: ≥26
d3	: 1.9
	: 2500 N
	: 2000 N


L		Objednací číslo
[+1/-0.2]	↑	
6.0	0.5- 1.5	12623206
8.0	1.5- 3.0	3208
9.5	3.0- 5.0	3209
12.0	5.0- 6.5	3212

Všechny rozměry v mm.


d1 Ø	Ø  : 4.9
d2 Ø	: 14.0 [+/-0.29]
k	: 1.3 [+/-0.3]
P	: ≥27
d3	: 2.9
	: 5500 N
	: 4500 N

L		Objednací číslo
[+1/-0.2]	↑	
8.0	0.5- 3.0	12624808
10.0	3.0- 5.0	4810
12.0	5.0- 6.5	4812
16.0	6.5-10.5	4816

## SR Série 1281



A2 [1.4301]



Všechny rozměry v mm.

d1 Ø	Ø  : 3.3
d2 Ø	: 6.0 [+/-0.29]
k	: ≤1.4
P	: ≥27
d3	: ~1.7
	: 1300 N
	: 850 N

L		Objednací číslo
[+1/-0.2]	↑	
6.5	0.5- 1.5	12813206
8.0	1.0- 3.0	3208
9.5	2.5- 4.5	3209
12.5	5.5- 7.5	3212

Všechny rozměry v mm.

d1 Ø	Ø  : 4.1
d2 Ø	: 8.0 [+/-0.29]
k	: ≤1.7
P	: ≥27
d3	: ~2.18
	: 2000 N
	: 1350 N

L		Objednací číslo
[+1/-0.2]	↑	
8.0	0.5- 3.0	12814008
10.0	3.0- 5.0	4010